

Tractor mounted type orchard air blast sprayer

Tractor power: 30-60 HP

Tank capacity:360/400/500L

Sprayer pump: 3 cylinder plunger

Gear box: yes (Super long warranty)

Sprayer range: height 2-5 m/ width 6-10m



3WFX-360 whole machine picture




3WFX-400/500 whole machine picture



Configuration List



PE Tank capacity 360/400/500L.



Taiwan Lu Xiong **three cylinder plunger pump**, the quality is more stable and the service life is longer (the warranty time 2 years).



Configuration gear box (the warranty time 2 years).



Sprayer nozzle: from Italy Copper body, ceramic spray, independent switch, two flow options



Standard European standard PTO shaft, longer service life, more safety.



Tractor three point suspension matching status.



Model	3WFX-360
Overall size	1360×1200×1300 mm
Tank	360 L
Work height	> 5-6 m
Work width	> 14 m
Sprayer pump	Three cylinder plunger pump
Pump flow	15-32 L/min
Fan diameter	600 mm
Tractor power	>18 HP / 540 r/minu
Sprayer nozzle	10-12 pc
Spray control type	Sectional Control/Independent Switch
Liquid mixing type	Reflux stirring/jet stirring
Work pressure	0.3-2.5 Mpa
Net weight	210 KG
Gear box	Autonomous design



Model	3WFX-400
Overall size	1200×1200×1000 mm
Tank	400 L
Work height	> 6-8 m
Work width	> 16 m
Sprayer pump	Three cylinder plunger pump
Pump flow	15-32 L/min
Fan diameter	800 mm
Tractor power	>30HP / 540 r/minu
Sprayer nozzle	10-12 pc
Spray control type	Sectional Control/Independent Switch
Liquid mixing type	Reflux stirring/jet stirring
Work pressure	0.3-2.5 Mpa
Net weight	320 KG
Gear box	Autonomous design



Model	3WFX-500
Overall size	1300×1300×1300 mm
Tank	500 L
Work height	> 6-8 m
Work width	> 16 m
Sprayer pump	Three cylinder plunger pump
Pump flow	15-32 L/min
Fan diameter	800 mm
Tractor power	> 50 HP / 540 r/minu
Sprayer nozzle	10-12 pc
Spray control type	Sectional Control/Independent Switch
Liquid mixing type	Reflux stirring/jet stirring
Work pressure	0.3-2.5 Mpa
Net weight	370 KG
Gear box	Autonomous design



Model	3WFX-500A
Overall size	1300×1600×1300 mm
Tank	500 L
Work height	> 6-8 m
Work width	> 16 m
Sprayer pump	Three cylinder plunger pump
Pump flow	15-32 L/min
Fan diameter	800 mm
Tractor power	> 50 HP / 540 r/minu
Sprayer nozzle	20 pc
Spray control type	Sectional Control/Independent Switch
Liquid mixing type	Reflux stirring/jet stirring
Work pressure	0.3-2.5 Mpa
Net weight	370 KG
Gear box	Autonomous design



Model	3WFX-500H
Overall size	1300×1300×1300 mm
Tank	500 L
Work height	> 6-8 m
Work width	> 16 m
Sprayer pump	Three cylinder plunger pump
Pump flow	15-32 L/min
Fan diameter	900 mm
Tractor power	> 50 HP / 540 r/minu
Sprayer nozzle	14 pc
Spray control type	Sectional Control/Independent Switch
Liquid mixing type	Reflux stirring/jet stirring
Work pressure	0.3-2.5 Mpa
Net weight	370 KG
Gear box	Autonomous design